

| | | | | | | | | | | |
|--|---|---------------|---------|------|---|-----------------|------|---|---|---|
| | | | | | | | | | | |
| | | | | | | MMPI-2 | | | | |
| | | | | | | Validity Scales | | | | |
| | | | | | | | | | | |
| | Tsc | | VRIN | TRIN | F | Fb | F(p) | L | K | S |
| | 100 | | | | | | | | | |
| | 90 | | | | | | | | | |
| | 80 | | | | | | | | | |
| | 70 | | | | | | | | | |
| | 60 | | | | | | | | | |
| | 50 | | | | | | | | | |
| | 40 | | | | | | | | | |
| | 30 | | | | | | | | | |
| | | | | | | | | | | |
| | Greene, R. (2004) Forensic Applications on the MMPI-2. American Academy of Forensic Psychology. | | | | | | | | | |
| | | Las Vegas, NV | January | 2004 | | | | | | |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |